

	A	B	C	D	E	F	G
1	Effect of various factors on the recovery of sucralose in crystallization schemes						
2			1 Recrystallization		3 Recrystallizations		
3	Purge of Impurities prior to Crystallization		None	50%	None	50%	75%
4			Sucralose Recovery				
5		1st Crystallizer	35%	43%	35%	43%	50%
6		1st Recrystallizer	37%	45%	38%	46%	52%
7		2nd Recrystallizer			52%	57%	59%
8		3rd Recrystallizer			58%	59%	60%
9			Sucralose Flow				
10							
11	Total feed to system		100	100	100	100	100
12	1st Crystallizer						
13		Total Feed	128	131	140	146	150
14		Crystals Produced	45	57	49	63	75
15		Mother Liquor	83	74	91	83	75
16	1st Recrystallizer						
17		Total Feed	45	57	64	86	105
18		Crystals Produced	17	26	24	40	55
19		Mother Liquor	28	31	40	46	50
20	2nd Recrystallizer						
21		Total Feed			31	51	71
22		Crystals Produced			16	29	42
23		Mother Liquor			15	22	30
24	3rd Recrystallizer						
25		Total Feed			16	29	42
26		Crystals Produced			9	17	25
27		Mother Liquor			7	12	17
28	Overall recovery of sucralose		17%	26%	9%	17%	25%
29				155%		186%	
30			Impurity Flow				
31	Total feed to system		100	50	100	50	25
32	1st Crystallizer						
33		Total Feed	110	55	111	56	28
34		Impurities in Crystals	11	5	11	6	3
35		Mother Liquor	99	49	100	50	25
36	1st Recrystallizer						
37		Total Feed	11	5	12	6	3
38		Impurities in Crystals	1	1	1	1	0
39		Mother Liquor	10	5	11	6	3
40	2nd Recrystallizer						
41		Total Feed			1	1	0
42		Impurities in Crystals			0	0	0
43		Mother Liquor			1	1	0
44	3rd Recrystallizer						
45		Total Feed			0	0	0
46		Impurities in Crystals			0	0	0
47		Mother Liquor			0	0	0
48	Overall Impurity Removal		98.90%	98.90%	99.99%	99.99%	99.99%
49			Impurity Level in each Crystallizer				
50		Feed	50.00%	33.33%	50.00%	33.33%	20.00%
51		1st Crystallizer	46.13%	29.53%	44.32%	27.56%	15.62%
52		1st Recrystallizer	19.66%	8.82%	16.22%	6.72%	2.86%
53		2nd Recrystallizer			4.21%	1.30%	0.47%
54		3rd Recrystallizer			0.84%	0.23%	0.08%
55		Base Yield					

Figure 1

	A	B	C	D	E	F
1	Effect of various factors on the recovery of sucralose in crystallization					
2	schemes w/ Recrystallization of 1st Crystallizer Mother Liquor					
3	Impurity Purge Prior to Crystallization			None	50%	75%
4	Sucralose Recovery					
5	1st Crystallizer			40%	49%	54%
6	1st Recrystallizer			54%	58%	59%
7	2nd Recrystallizer			59%	60%	60%
8	3rd Recrystallizer			60%	60%	60%
9	1st m/l Recrystallization			35%	43%	49%
10	Sucralose Flow					
11	Total feed to system			100	100	100
12	1st Crystallizer					
13	Total Feed			189	207	221
14	Crystals Produced			76	100	119
15	Mother Liquor			113	106	102
16	1st Recrystallizer					
17	Total Feed			113	106	102
18	Crystals Produced			40	46	50
19	Mother Liquor			73	61	52
20	2nd Recrystallizer					
21	Total Feed			107	144	173
22	Crystals Produced			58	83	102
23	Mother Liquor			49	61	71
24	3rd Recrystallizer					
25	Total Feed			76	110	134
26	Crystals Produced			45	65	80
27	Mother Liquor			31	44	54
28	1st M/L Recrystallizer					
29	Total Feed			45	65	80
30	Crystals Produced			27	39	48
31	Mother Liquor			18	26	32
32	Overall recovery of sucralose			27%	39%	48%
33	Impurity Flow					
34	Total feed to system			100	50	25
35	1st Crystallizer					
36	Total Feed			123	62	31
37	Crystals Produced			12	6	3
38	Mother Liquor			111	56	28
39	1st Recrystallizer					
40	Total Feed			111	56	28
41	Crystals Produced			11	6	3
42	Mother Liquor			100	50	25
43	2nd Recrystallizer					
44	Total Feed					
45	Crystals Produced			14	7	3
46	Mother Liquor			1	1	0
47	3rd Recrystallizer			12	6	3
48	Total Feed					
49	Crystals Produced			2	1	0
50	Mother Liquor			0	0	0
51	1st M/L Recrystallizer			1	1	0
52	Total Feed					
53	Crystals Produced			0	0	0
54	Mother Liquor			0	0	0
55	m/l			0	0	0
56	Impurity Level in each Crystallizer					
57	Feed			50.00%	33.33%	20.00%
58	1st Crystallizer			39.56%	23.00%	12.24%
59	1st M/L Recrystallizer			49.64%	34.30%	21.39%
60	1st Recrystallizer			11.34%	4.53%	1.94%
61	2nd Recrystallizer			1.94%	0.68%	0.28%
62	3rd Recrystallizer			0.33%	0.12%	0.05%

Figure 2

	A	B	C	D	E	F	G	H	I	J	K	
1	Effect of required purity on yield and the improvements seen with impurity pre-purge											
2	one recrystallization				three		five recrystallizations		five recrystallizations			
3					recrystallizations				and re-crop			
4	Sucralose Recovery											
5	None		50%		None		50%		None		50%	
6	36%		44%		36%		45%		37%		45%	
7	43%		51%		45%		53%		45%		53%	
8					52%		57%		53%		58%	
9					57%		59%		58%		59%	
10									60%		60%	
11									60%		60%	
12	80.08%		92.36%		97.59%		99.31%		99.83%		99.95%	
13	19%		29%		12%		21%		10%		19%	
14			150%				178%				184%	
15	one recrystallization				three		five recrystallizations		five recrystallizations			
16					recrystallizations				and re-crop			
17	Sucralose Flow											
18	100		100		100		100		100		100	
19	126		127		138		143		141		147	
20	45		56		50		64		51		66	
21	81		71		88		79		90		81	
22	45		56		69		91		75		101	
23	19		29		31		48		34		54	
24	26		27		38		43		41		47	
25	40		63		50		82		83		135	
26	21		36		27		47		45		79	
27	19		27		23		35		38		56	
28	21		36		39		69		66		115	
29	12		21		22		41		38		68	
30	9		15		16		28		28		46	
31	29		54		50		90		50		90	
32	17		32		30		54		30		54	
33	12		21		21		36		21		36	
34	17		32		30		54		30		54	
35	10		19		18		32		18		32	
36	7		13		12		21		12		21	
37					127		119		45		51	
38					82		68					
39	19%		29%		12%		21%		10%		19%	
40			150%				178%				184%	
41											180%	

Figure 3a

	A	B	C	D	E	F	G	H	I	J	K
49				one recrystallization		three recrystallizations		five recrystallizations		five recrystallizations and re-crop	
50	Purge of Impurities prior to Crystallization			None	50%	None	50%	None	50%	None	50%
51				Impurity Flow							
52	Total feed to system			100	50	100	50	100	50	100	50
53	1st Crystallizer										
54	Total Feed			119	60	125	62	125	62	156	78
55	Impurities in Crystals			24	12	25	12	25	12	31	16
56	Mother Liquor			95	48	100	50	100	50	125	62
57	1st Recrystallizer										
58	Total Feed			24	12	31	15	31	16	39	20
59	Impurities in Crystals			5	2	6	3	6	3	8	4
60	Mother Liquor			19	10	25	12	25	12	31	16
61	2nd Recrystallizer										
62	Total Feed					7	4	8	4	10	5
63	Impurities in Crystals					1	1	2	1	2	1
64	Mother Liquor					6	3	6	3	8	4
65	3rd Recrystallizer										
66	Total Feed					1	1	2	1	2	1
67	Impurities in Crystals					0	0	0	0	0	0
68	Mother Liquor					1	1	2	1	2	1
69	4th Recrystallizer										
70	Total Feed							0	0	1	0
71	Impurities in Crystals							0	0	0	0
72	Mother Liquor							0	0	0	0
73	5th Recrystallizer										
74	Total Feed							0	0	0	0
75	Impurities in Crystals							0	0	0	0
76	Mother Liquor							0	0	0	0
77	1st recrop										
78	Total Feed									125	62
79	Impurities in Crystals									25	12
80	Mother Liquor									100	50
81	Overall Impurity Removal			95.238%	95.238%	99.707%	99.707%	99.982%	99.982%	99.977%	99.977%
82				one recrystallization		three recrystallizations		five recrystallizations		five recrystallizations and re-crop	
83	Purge of Impurities prior to Crystallization			None	50%	None	50%	None	50%	None	50%
84				Impurity Level in each Crystallizer							
85	Feed			50.00%	33.33%	50.00%	33.33%	50.00%	33.33%	50.00%	33.33%
86	1st Crystallizer			48.64%	31.85%	47.38%	30.36%	46.99%	29.81%	43.15%	25.84%
87	1st Recrystallizer			34.67%	17.50%	30.75%	14.49%	29.40%	13.40%	25.07%	10.76%
88	2nd Recrystallizer					15.49%	5.53%	13.39%	4.55%	10.50%	3.48%
89	3rd Recrystallizer					6.56%	2.01%	4.75%	1.38%	3.52%	1.04%
90	4th Recrystallizer							0.52%	0.14%	1.51%	0.43%
91	5th Recrystallizer							0.17%	0.05%	0.75%	0.21%
92	recrop feed									49.65%	34.51%
93	Base Yield			60%							
94	Effect Factor			0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
95	1st Crystallizer			36%	44%	36%	45%	37%	45%	38%	47%
96	1st Recrystallizer			43%	51%	45%	53%	45%	53%	47%	55%
97	2nd Recrystallizer					52%	57%	53%	58%	55%	58%
98	3rd Recrystallizer					57%	59%	58%	59%	58%	59%
99	4th Recrystallizer							60%	60%	59%	60%
100	5th Recrystallizer							60%	60%	60%	60%
101	recrop feed									35%	43%

Figure 3b




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8

Analysis Profile of Representative Lots												
Lot	Adjusted Assay	Impurity in %		Chlorinated Impurities in %							Ratio	
		Water	Residue on Ignition	4,6'-Dichloro galactos ucrose	4,1'-Dichloro galactos ucrose	1',6'-dischlor osucrose	3',6'-anhydro -4,1-dichloro galactos ucrose	4,1',6'-trichloro galactos ucrose-6-acetate	6,1',6'-trichloro sucrose	Unknown chlorina ted carbohy drates	All impuritie s	Chlorina ted Impuritie s
SCN412	100.65	0.06	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	714:1	1428:1
SCN401	98.94	0.07	<0.01	0.01	0.01	<0.01	0.01	<0.01	<0.01	<0.01	667:1	1428:1
SCN398	100.59	0.07	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	667:1	1428:1
SCN376	99.66	0.08	<0.01	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	556:1	1111:1
SCN363	99.83	0.06	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	667:1	1250:1
SCN0061	100.26	0.03	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	833:1	1250:1
SCN0054	99.40	0.05	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	714:1	1250:1
SCN0048	100.24	0.07	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	625:1	1250:1
SCN0035	100.52	0.06	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	667:1	1428:1
SCN0007	99.01	0.04	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	833:1	1428:1

Figure 9




Figure 10a




Figure 10b




Figure 10c